

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

----- X
RANDOLPH ROBINSON, :
 :
 :
 Plaintiff, :
 :
 - against - : 21-CV-02071 (PMH)
 :
 DELTA BAROMETRE, Superintendent, :
 R. MURRAY, Nurse Administrator, :
 :
 Defendants. :
----- X

**MEMORANDUM OF LAW IN SUPPORT OF DEFENDANTS'
MOTION TO DISMISS THE COMPLAINT**

LETITIA JAMES
Attorney General of the
State of New York
Attorney for Defendants
28 Liberty Street
New York, NY 10005


David T. Cheng
Assistant Attorney General
of counsel

Motion (Doc. 16) denied without prejudice to re-filing in compliance with the Court's Individual Practices and the Local Civil Rules of the Southern District of New York, in particular Local Civil Rules 7.1(a)(1) and (a)(3). *See Whitley v. Bowden*, No. 17-CV-03564, Doc. 116 at 3-4; *Multiwave Sensor Inc. v. Sunsight Instr., LLC*, No. 16-CV-1361, 2017 WL 1498058, at *2 n.1 (S.D.N.Y. Apr. 26, 2017).

Should Defendants elect to re-file, such motion shall be filed and served on or before 10/8/2021. Plaintiff shall file and serve his opposition, if any, on or before 11/8/2021. Defendants shall file and serve their reply, if any, on or before 11/22/2021.

The Clerk of Court is respectfully requested to mail a copy of this Order to plaintiff.

SO ORDERED.



Philip M. Halpern
United States District Judge

Dated: White Plains, New York
September 8, 2021